



愿景 Vision

公司愿景:成为一家具有全球影响力的电驱动企业。

Company Vision: To become a globally influential electric drive enterprise.

公司使命: 深耕电驱动及其智能化, 为客户持续创造价值。

Company mission: To deeply cultivate electric drive and its intelligence, and to continuously

create value for customers.

公司价值观:成就客户,持续创新,诚信正直,共享共担。

Company values: Achieving success for customers, continuous innovation, honesty and integrity, sharing and bearing together.

成就客户—服务客户,致力于客户的满意与成功。

Achieving customers - serving customers, committed to customer satisfaction and success.

持续创新—专注对市场和客户有影响力的创新。

Continuous innovation - focusing on innovative solutions that have an impact on the market and customers.

诚信正直—建立信任与负责任的人际关系。

Integrity and honesty - establishing trustworthy and responsible interpersonal relationships.

共享共担—注重团队,开阔胸襟,共享荣誉,勇于担责。

Share and bear together - focus on teamwork, broaden our minds, share honors, and be brave enough to shoulder responsibilities.



目录 Contents

About us 关于我们

01

OVER 20YEARS ELECTRIC
VEHICLE CONTROLLER
MAKER

超过20年的电动车控制器 制造者

Products 产品

02

E-SCOOTER CONTROLLERS
E-BICYCLE CONTROLLERS
E-TRICYCLE CONTROLLER
CUSTOMIZED CONTROLLER
APP WITH BLUETHOOTH

- 1、电动滑板车控制器
- 2、电动自行车控制器
- 3、电动推车控制器
- 4、客户定制控制器
- 5、蓝牙APP定制

Honor 荣誉

03

SOFTWARE COPYRIGHTS
AND VARIOUS PATENTS
ARE INDEPENDENTLY
DEVELOPED BY OUR

我们自主研发各项专利和软 件著作

Contacts 联系我们

04

PROVIDE VARIOUS
TECHNICAL SUPPORT

提供各种技术支持



关于我们 About us

PART 01

OVER 20 YEARS ELECTRIC VEHICLE CONTROLLER MAKER



关于我们About us

ESTABLISHED IN 2001, JAXING JIAQI ELECTRONIC TECHNOLOGY CO., LTD IS ONE OF THE EARLIEST MANUFACTURERS SPECIALIZED IN THE RESEARCH, DEVELOPMENT AND PRODUCTION OF ALLTYPES OF EVEHICLE CONTROLLERS WHICH INCLUDE ELECTRIC BICYCLES, SCOOTERS, TRICYCLES AND ELECTRICTOOLS. WE ARE LOCATED IN JIAXING CITY, ZHEJIANG, WHICH IS THE CENTER OF FOUR BIG CITIES; SHANGHAI, HANGZHOU, NINGBO AND SUZHOU CITY. IT IS ONLY 1 HOUR FAR AWAY FROM THOSE CITIES.

嘉兴市佳祺电子科技有限公司成立于2001年,是国内较早专业从事电动自行车、踏板车、三轮车、电动工具等各类电动车辆控制器的研发和生产的厂家之一。我们位于浙江省嘉兴市,位于上海、杭州、宁波、苏州四大城市的中心。离这些城市只有一个小时的路程.

WITH A MISSION TO CREATE VALUE FOR OUR CUSTOMERS,WE GO THROUGH STRINGENT TESTING FOREVERY PRODUCT WE MADE BEFORE SHIPPING OUT. MEANWHILE WE HAVE OUR OWN R&D TEAM TO FULLFILL ALL KINDS OF CUSTOMIZED REQUIREMENTS.FURHTER MORE,WE BELIEVE THAT OUR BUSINESSIS NOTJUST ABOUT BUILDING A LOYAL CUSTOMER BASE,BUT ALSO ABOUT BUILDING A BETTER , CLEANER AND ECO-FRIENDLY FUTURE.

怀着为客户创造价值的使命,我们在出厂前对每一件产品都进行了严格的测试。同时,我们拥有自己的研发团队,以满足客户的各种要求。此外,我们相信,我们的业务不仅仅是建立一个忠诚的客户群,而是建立一个更美好、更清洁、更环保的未来。

CURRENTLY, MOST OF OUR PRODUCTS ARE ALREADY EXPORTED TO AMERICA, ASIA, NORTH AMERICAN, EUROPE, AND OTHER REGIONS WITH AN ANNUAL OUTPUT OF 500000+ UNITS. STRIVE TO BECOME THE BEST SUPPLIER OF ELECTRIC VEHICLE CONTROLLER. HERE WE LOOK FORWARD TO COOPERATING WITHMORE CUSTOMERS WITH LONGTERM RELATIONSHIP.

目前,我们的大部分产品已出口到美洲、亚洲、北美、欧洲等地区,年产量达50多万台。力 争成为最好的电驱动供应商。我们期待与更多的客户建立长期的合作关系。



主要产品 Main Products

01

02

03

04

Top speed E-scooter controllers 高速滑板车控制器

E-bicycle controllers 电动自行车控制器 Casual cart controllers 休闲车控制器 Customizable 定制款

- 1 High-density dissipation
- 2 Limited size, high current
- 3 One machine with dual drive
- 4 Bluetooth APP is available
 - 1、高密度散热
 - 2、小尺寸, 大电流
 - 3、一机双驱
 - 4、蓝牙APP可供选择

1 High efficiency

- 2 Matched with most of display
- 3 Pas with speed sensor or torque sensor
- 4 Bluetooth APP is available
 - 1、高效率
 - 2、匹配大部分仪表
 - 3、可配助力传感或扭矩传感
 - 4、蓝牙APP可供选择

1 High efficiency

- 2 Magnetic brake is avaliable
- 3 Ultra-safe
- 4 Bluetooth APP is available
 - 1、高效率
 - 2、可配电磁刹车
 - 3、高安全性
 - 4、蓝牙APP可供选择

Achieving professional personalized customization

实现专业化,个性化定制



产品一 Products I

PART 02

高速滑板车控制器

TOP SPEED E-SCOOTER CONTROLLERS





产品一 Products I





Single Drive Controllers 单驱控制器

6mosfet: Max current 13A~21A 12mosfet: Max current:40A~60A


6管:最大电流: 13-21A 12管:最大电流: 40-60A 02



DUAL drive controllers 双驱控制器

6mosfet: Max current 25A~30A 12mosfet: Max current 40A-60A 18mosfet: Max current 60A~80A

6管:最大电流: 25-30A 12管:最大电流: 40-60A 18管:最大电流: 60-80A 03



One controller with DUAL 一机双驱

Double 12mosfet:Max current

24管: 最大电流2*70A



Top speed E-scooter controller



Support various displays
匹配各种仪表
Bluetooth modules are available for selection
蓝牙模块可供选择
Light control digital unit are available
灯控数字模块可供选择

MODEL:JQHB-06N-01

Size: 85mm*52mm*30mm

Rated Voltage: DC36V/48V

Peak Current: 13A~21A

Protection Voltage:DC31.5V/42V

Driving Mode: FOC(single drive/dualdrg

Standby Power: <2W

IP level: IP65

Weight: 215g

Mosfet: 6pcs

Color: Silver/Blue/Black



Top speed E-scooter controller



Support various displays
匹配各种仪表
Bluetooth modules are available for selection
蓝牙模块可供选择
Light control digital unit are available
灯控数字模块可供选择

MODEL:JQHB-06H-01

Size: 85mm*52mm*30mm

Rated Voltage: DC36V/48V

Peak Current: 25A~30A

Protection Voltage:DC31.5V/42V

Driving Mode: FOC(single drive/dual drig

Standby Power: <2W

IP level: IP67

Weight: 320g

Mosfet: 6pcs

Color: Blue/Black



Top speed E-scooter controller



Support various displays
匹配各种仪表
Bluetooth modules are available for selection 蓝牙模块可供选择
Light control digital unit are available
灯控数字模块可供选择

MODEL:JQHB-12H-01

Size: 100mm*75mm*45mm

Rated Voltage: DC48V/60V/72V

Peak Current: 40A~60A

Protection Voltage:DC42V/52V/59V

Driving Mode: FOC(single drive/dualdrig

Standby Power: <2W

IP level; IP67

Weight: 653g

Mosfet: 12pcs



Top speed E-scooter controller



Support various displays

匹配各种仪表

Bluetooth modules are available for selection

蓝牙模块可供选择

Light control digital unit are available

灯控数字模块可供选择

MODEL:JQHB-18H-01

Size: 100mm*75mm*45mm

Rated Voltage: DC60V/72V

Peak Current: 60A~80A

Protection Voltage: DC52V/59V

Driving Mode: FOC(single drive/dualdrr

Standby Power: <2W


IP [evel: IP67

Weight: 672g

Mosfet: 18pcs



一机双驱 One controllerDual drive



Support various displays
匹配各种仪表
Bluetooth modules are available for selection
蓝牙模块可供选择
Light control digital unit are available
灯控数字模块可供选择

MODEL:JQHB-24DH-01

Size: 115mm*130mm*89mm

Rated Voltage: DC60V/72V

Peak Current: 2*70A

Protection Voltage: DC52V/59V

Driving Mode: FOC(daul drive)

Standby Power: <2W

IP level; IP67

Weight: 1440g

Mosfet: 24pcs



产品二 Products II

PART 02

电动自行车控制器

E-BICYCLE CONTROLLER





产品二 Products II

01



SINGLE DRIVE CONTROLLERS 单驱控制器

6mosfet: Max current 13A~21A 12mosfet: Max current:25A~32A 18mosfet: Max current:40A~60A

6管:最大电流:13A-21A 12管:最大电流:25A-32A 18管:最大电流:40A-60A 02



DUAL DRIVE CONTROLLERS 双驱控制器

6mosfet: Max current :15A~20A 6mosfet: Max current :25A~30A 12mosfet: Max current 40A-60A 18mosfet: Max current 60A~80A

6管:最大电流:15A-20A 6管:最大电流:25A-30A 12管:最大电流:40A-60A 18管:最大电流:60A-80A 03



CUSTOMIZED CONTROLLER 定制款控制器

6mosfet: Max current :15A





自行车款控制器 E-bicycle controller



Support various displays 匹配各种仪表 Bluetooth modules are available for selection 蓝牙模块可供选择 Light control digital unit are available

灯控数字模块可供选择

MODEL:JQLD-06N-01

Size: 85mm*52mm*30mm

Rated Voltage: DC36V/48V

Peak Current: 15A

Protection Voltage: DC31.5V/42V

Driving Mode: FOC(single drive)

Standby Power: <2W

IP level: IP66

Weight: 215g

Mosfet: 6pcs

Color: Silver/Blue/Black



自行车款控制器 E-bicycle controller



Support various displays
匹配各种仪表
Bluetooth modules are available for selection
蓝牙模块可供选择
Light control digital unit are available
灯控数字模块可供选择

MODEL:JQLD-06N-02

Size: 107mm*70mm*35mm

Rated Voltage: DC36V/48V

Peak Current: 15A~25A

Protection Voltage: DC31.5V/42V

Driving Mode: FOC(single drive)

Standby Power: <2W

IP level: IP65

Weight: 367g

Mosfet: 6pcs

Color: Silver/Blue/Black



自行车款控制器 E-bicycle controller



Support various displays

匹配各种仪表

Bluetooth modules are available for selection

蓝牙模块可供选择

Light control digital unit are available

灯控数字模块可供选择

MODEL:JQLD-06N-03

Size: 345mm*63mm*25mm

Rated Voltage: DC36V

Peak Current: 15A

Protection Voltage: DC31.5V

Driving Mode: FOC(single drive)

Standby Power: <2W

IP level; IP66

Weight: 411g

Mosfet: 6pcs





产品三 Products III

PART 02

定制款控制器

CUSTOMIZED CONTROLLER









产品3 Products III

Customized controllers





CASUAL CART CONTROLLERS 休闲车控制器

6mosfet: Max current 13A~21A 9mosfet:Max current:22A~25A 12mosfet: Max current:25A~30A

6管:最大电流:13A-21A 9管:最大电流:22A-25A 12管:最大电流:25A-30A





E-TRICYCLE CONTROLLERS 电动三轮车控制器

18mosfet: Max current 40A~50A 24mosfet: Max current: 50A~60A 30mosfet: Max current: 60A~80A 36mosfet: Max current: 80A~100A

18管: 最大电流: 40A-50A 24管: 最大电流: 50A-60A 30管: 最大电流: 60A-80A 36管: 最大电流: 80A-100A





E-TOOL CONTROLLERS 电动工具控制器

6mosfet: Max current 13A~21A 9mosfet: Max current: 22A~25A 12mosfet: Max current: 25A~30A

6管: 最大电流13A-21A 9管: 最大电流: 22A-25A 12管: 最大电流: 25A-30A





Support various displays
匹配各种仪表
Bluetooth modules are available for selection
蓝牙模块可供选择
Light control digital unit are available
灯控数字模块可供选择

MODEL:JQXX-06N-01

Size: 107mm*70mm*35mm

Rated Voltage: DC36V/48V

Peak Current: 15A~25A

Protection Voltage: DC31.5V/42V

Driving Mode: FOC(single drive)

Standby Power: <2W


IP level: IP65

Weight: 367g

Mosfet: 6pcs

Color: Silver/Blue/Black





Support various displays
匹配各种仪表
Bluetooth modules are available for selection
蓝牙模块可供选择
Light control digital unit are available
灯控数字模块可供选择

MODEL:JQXX-24N-01

Size: 220mm*118mm*65mm

Rated Voltage: DC36V/48V

Peak Current: 40-50A

Protection Voltage: DC31.5V/42V

Driving Mode: FOC(single drive)

Standby Power: <2W

IP level: IP65

Weight: 1722g

Mosfet: 24pcs

Color: Silver/Green/Black





Support various displays
匹配各种仪表
Bluetooth modules are available for selection 蓝牙模块可供选择
Light control digital unit are available
灯控数字模块可供选择

MODEL: JQXX-12N-01

Size: 150mm*87mm*42mm

Rated Voltage: DC48V/60V

Peak Current: 28A~43A

Protection Voltage: DC42V/52V

Driving Mode: FOC(single drive)

Standby Power: <2W

IP level: IP65

Weight: 458g

Mosfet: 12pcs

Color: Silver+Black





Support various displays 匹配各种仪表 Bluetooth modules are available for selection 蓝牙模块可供选择 Light control digital unit are available 灯控数字模块可供选择

MODEL: JQXX-18N-01

Size: 150mm*87mm*42mm

Rated Voltage: DC48V/60V/72V

Peak Current: 40A~60A

Protection Voltage: DC42V/52V/59V

Driving Mode: FOC(single drive)

Standby Power: <2W

IP level: IP65

Weight: 1148g

Mosfet: 18pcs

Color: Silver/Black



电动自行车控制器

Customized controller for Motorcycle



Support various displays 匹配各种仪表 Bluetooth modules are available for selection 蓝牙模块可供选择 Light control digital unit are available 灯控数字模块可供选择

MODEL:JQXX-30N-01

Size: 245mm*140mm*72mm

Rated Voltage: DC60V/72V

Peak Current: 50A~80A

Protection Voltage: DC52V/59V

Driving Mode: FOC(single drive)

Standby Power: <2W

IP level: IP65

Weight: 2554g

Mosfet: 30pcs

Color: Silver/Bla



电动自行车控制器

Customized controller for Motorcycle



Support various displays
匹配各种仪表
Bluetooth modules are available for selection
蓝牙模块可供选择
Light control digital unit are available
灯控数字模块可供选择

MODEL:JQXX-36N-01

Size: 290mm*140mm*72mm

Rated Voltage: DC60V/72V

Peak Current: 80A~150A

Protection Voltage: DC52V/59V

Driving Mode: FOC(single drive)

Standby Power: <2W

IP level: IP65

Weight: 3025g

Mosfet: 36PCS

Color: Silver/Bla



定制款控制器(其他)

Customized controller(OTHERS)





Brush controller for E-boat 电动有刷船控制器





Light control digita unit 灯控数字模块





Speed limited programmer 限速编码器



产品三 Products IV

PART 02

蓝牙APP BLUETOOTH APP





蓝牙APP Bluetooth APP









We independently develop Bluetooth APP software and can customize the APP according to customer requirements.

我们自主研发蓝牙APP软件,可以根据客户要求定制.



产品五 Products V

PART 02

仪表 DISPLAYS







MODEL:A10

Size: 60.1mm*46mm*14.1mm

Function: PAS level; Speed; Trip/ODO; Headlight;

Walk/Mile/KM/Error Alarm

Communication: UART

Holder: 22.2mm/25.4mm/28.6mm/31.8mm

Rated Voltage: 24V/36V/48V/60V

Certificate: CE







MODEL:S5

Size: 60.1mm75mm*18.2mm

Function: PAS level; Speed; Trip/ODO;

Headlight; Walk/Mile/KM/Error Alarm

Communication: UART

Holder: 22.2mm/25.4mm/28.6mm/31.8mm

Rated Voltage: 24V/36V/48V/60V

Certificate: CE







MODEL:S6

Size: 63.1mm*55.3mm*60mm

Function: PAS level; Speed; Trip/ODO;

Headlight; Walk/Mile/KM/Error Alarm

Communication: UART

Holder: 22.2mm/25.4mm/28.6mm/31.8mm

Rated Voltage: 24V/36V/48V/60V

Certificate: CE







MODEL:M6

Size: 60.1mm*94.6mm*18.2mm

Function: PAS level; Speed; Trip/ODO;

Headlight; Walk/Mile/KM/Error Alarm

Communication: UART

Holder: 22.2mm/25.4mm/28.6mm/31.8mm

Rated Voltage: 24V/36V/48V/60V

Certificate: CE







PART 03





荣誉HONOR







荣誉HONOR

QUALIFICATION CERTIFICATE

资质证书







未来FUTURE

High-density dissipation controller 高功率密度散热控制器

We will develop larger high-power density controllers, single-drive, dual-drive, and one machine dual-drive.

Limited size with highest current.

我们将研发更大高功率密度散热控制器:单驱、双驱、一机双驱。 小尺寸、大电流。

Industry controller 工业控制器

Provide higher quality and more stable controllers.

提供高质量、高稳定的控制器







联系CONTACTS



地址/Address:

No.116 HuaiAn Road jiaxing city

Zhejiang Province China

电话/Tel:

+86-573-83662988

传真/Fax:

+86-573-83662166

手机/Mobile:

+86-15888327129

邮箱Æ-mail:

jonniel@jx-jiaqi.com1

eric@jx-jiaqi.com1

网址/URL:

www.llzkcontroller.com

